

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S  
INFORMATION DISCLOSURE STATEMENTAPPLICANT:  
BARBUTFILING DATE:  
Submitted herewith

GROUP:

MAY 11 2 2001 (Use several sheets if necessary)

1017 U.S. PTO  
09/847425  
-05/01/01

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE
AA	4,601,706	07/1986	Aillon	604	122	
AB	4,798,588	01/1989	Aillon	604	122	
AC	4,921,478	05/1990	Solano et al.	604	53	
AD	5,330,451	07/1994	Gabbay	604	284	
AE	5,330,498	07/1994	Hill	606	194	
AF	5,334,142	08/1994	Paradis	604	53	
AG	5,423,742	06/1995	Theron	604	28	
AH	5,437,633	08/1995	Manning	604	53	
AI	5,449,342	09/1995	Hirose et al.	604	4	
AJ	5,458,574	10/1995	Machold et al.	604	101	
AK	5,599,329	02/1997	Gabbay	604	284	
AL	5,662,671	09/1997	Barbut et al.	606	170	
AM	5,678,570	10/1997	Manning	18	897	
AN	5,702,368	12/1997	Stevens et al.	604	171	
AO	5,711,754	01/1998	Miyata et al.	600	18	
AP	5,814,016	09/1998	Valley et al.	604	96	
AQ	5,820,593	10/1998	Safar et al.	604	96	
AR	5,827,237	10/1998	Macoviak et al.	604	246	
AS	5,833,650	11/1998	Imran	604	53	
AT	5,855,210	01/1999	Sterman et al.	128	898	
AU	5,938,645	08/1999	Gordon	604	264	
AV	6,010,522	01/2000	Barbut et al.	606	200	
AW						

## FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION YES NO
AX	WO99/30765	06/1999	WIPO			
AY	WO99/58174	11/1999	WIPO			
AZ						

EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if reference is considered, whether or not citation is in-conformance with MPEP 609. Draw-line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S  
INFORMATION DISCLOSURE STATEMENTATTY. DOC. NO.  
261/275SERIAL NO.  
Not yet assignedAPPLICANT:  
BARBUTFILING DATE:  
Submitted herewith

GROUP:

MAY 02 2001

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

PATENT & TRADEMARK OFFICE	BA	Postolides et al., "Intra-aortic Balloon Pump Counterpulsation in the Management of Concomitant Cerebral Vasospasm and Cardiac Failure after Subarachnoid Hemorrhage: Technical Case Report", <i>Neurosurgery</i> , 38:5, May 1996, pp. 1056-1060
	BB	Bhayana et al., "Effects of Intraaortic Balloon Pumping on Organ Perfusion in Cardiogenic Shock," <i>Journal of Surgical Research</i> , 26(2):108-113 (1979)
	BC	Boston et al., "Differential Perfusion: A New Technique for Isolated Brain Cooling During Cardiopulmonary Bypass," <i>Ann. Thorac. Surg.</i> 69:1346-50
	BD	Cheung et al., "Relationships Between Cerebral Blood Flow Velocities and Arterial Pressures During Intra-Aortic Counterpulsation," <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 12:1, pp 51-57, February, 1998
	BE	Edmunds, Jr. et al., "An Adjustable Pulmonary Arterial Band," <i>Trans. Amer. Soc Artificial Internal Organs</i> , Vol. XVII, 1972, pp.237-223
	BF	Nanas et al., "Counterpulsation: Historical Background, Technical Improvements, Hemodynamic and Metabolic Effects," <i>Cardiology</i> , 84:156-167 (1994)
	BG	Nussbaum et al., "Intra-Aortic Balloon Counterpulsation Augments Cerebral Blood Flow in the Patient with Cerebral Vasospasm; a Xenon-Enhanced Computed Tomograph Study," <i>Neurosurgery</i> , 42(1):206-14 (1998)
	BH	Nussbaum et al., "Intra-Aortic Balloon Counterpulsation Augments Cerebral Blood Flow in a Canine Model of Subarachnoid Hemorrhage-Induced Cerebral Vasospasm," <i>Neurosurgery</i> , 36(4):879-86 (1995)
	BI	Sabiston, <i>Textbook of Surgery</i> , Sabiston, Ed., W.B. Saunders Company, publisher, 1981, pp. 2462-2463
	BJ	Theron et al., "New Triple Coaxial Catheter System for Carotid Angioplasty with Cerebral Protection," <i>American Society of Neuroradiology</i> , 11:869-874, September/October 1990
	BK	Tranmer et al., "Intra-aortic balloon counterpulsation: a treatment for ishcaemic stroke?" <i>Neurol. Res.</i> , 11(2):109-113 (1989)
	BL	Tranmer et al., "Pulsatile Versus Nonpulsatile Blood Flow in the Treatment of Acute Cerebral Ischemia," <i>Neurosurgery</i> , 19(5):724-31 (1986)
	BM	

EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.